

## Pneumatic Nailer Type MN 6-514 Type BT 515

The BeA Pneumatic Nailer **MN 6-514** drives magazined **expanding inserts** with M6 internal thread in lengths of 11 mm and 13 mm for bores of Ø 10 mm. Due to special valve control the driver blade projects several mm from the nose guaranteeing correct positioning of the inserts.

The BeA Pneumatic Nailer **BT 515** drives **shelf support studs** in different colours and in lengths of 10 mm and 12 mm. The diameter of the head is 11 mm.

### Popular applications:

Cabinets, shelves, tables, drawers, caravans etc.



Length:	<u>MN 6-514</u>	<u>BT 515</u>
Width:	348 mm	348 mm
Height:	45 mm	45 mm

### Technical data

Type description:	<b>MN 6-514</b>	<b>BT 515</b>
Article code:	12000144	12000145
Magazine type :	Oberlader	Oberlader
Fastener type:	MN 6-76 and MN 6-77	BT
Magazine capacity:	28	25
Fasteners per strip:	1 x 25	1 x 22
Operating pressure:	5 – 8 bar	5 – 6 bar
Max. operating pressure:	8 bar	6 bar
Air consumption/operation:	0.45 litre / 6 bar	0.45 litre / 6 bar
Inner hose diameter:	Ø 9 mm LW recommended	Ø 9 mm LW recommended
Emission sound pressure level at the workstation:	L pA, 1s, d = 79 dB	L pA, 1s, d = 79 dB
Single-shot emission sound pressure level:	L WA, 1 s,d = 87 dB	L WA, 1 s,d = 87 dB
Weight:	1.77 kg	1.77 kg

The vibration as per document no. CEN/TC 255 WG 1 N 47.3 is under the declaration limit as per EN 292-1, amendment A.

### Extras supplied with the stapler:

Operating instructions, spare parts list, service instructions, allen keys SW 8, SW 13, silencer.

Subject to technical modifications.

All BeA pneumatic tools can be jig-mounted  
We supply the necessary accessories and equipments.



This tool conforms to the EG Directive  
for Machinery (89/392 EWG)

Product leaflet 514/515


## Pneumatic Nailer Type MN6-514



BeA Deutschland  
Befestigungstechnik  
P.O.Box 14 80  
D-22904 Ahrensburg  
Phone: (04102) 78-0  
Fax: (04102) 78-250  
www.bea-group.com  
e-mail: [info@bea-group.com](mailto:info@bea-group.com)

a division of  
Joh. Friedrich Behrens AG

### Expanding inserts type MN 6-76 and type MN 6-77




Description	L = Length mm
MN 6-76	11
MN 6-77	13

Only available in colour „nature“.

## Type BT 515

### Shelf support studs type BT



Description	L = Length mm
BT 10	10
BT 12	12

Available in white and brown, other colours on request.

#### Explanations:

NK = galvanized steel	BK = bright steel	LM = aluminium	HZ = resin coated
NKS = galvanized steel, extra hard	BKS = bright steel, extra hard	NR = stainless steel, material. 1.4401	DP = divergent point
NKH = galvanized steel, hard	MS = brass	RF = rust resistant, material 1.4301	SA = step cut